498.00 EUR
incl. 19% VAT, plus shipping

- HSPA/UMTS !
- WLAN/BT !
- Windows 7, 8, Android !
- Intel Classmate Study-Book !

Support: Drivers (Win7-Win8) | Android Image (ISO) | Connection Manager (Win7)

Actually, this PC is designed for children (under the Intel Classmate project). As a result, this TabletPC is also ideal for applications in difficult environments. The PC is designed for everyday use, the housing is shock resistant and of high quality workmanship and value. Careless handling can not harm the system. Therefore the system is also suitable for eg. car workshops and mobile use.

Comparison to X70EX-2 Basic :
- 2GB instead of 1GB RAM
- 32GB SSD instead of 8GB
- 3G and Bluetooth
- HDMI output

Device comes without pre-installed operating system !
You can install your own Windows 7/8 copy by USB-CD-drive or USB stick.
Alternatively you can install our Android-Image.

With the CarTFT X70EX-2 you get a real generalist with Windows 7 and 8 compability. This UMPC does not only enable you to use any Windows-compatible software, but also gives Internet access through WLAN, Bluetooth or HSDPA 3G.

Input possibilities :

- Multi-Touchscreen

Ultra Portable

- 526 Gramms
- Dimensions : 20,7 x 13,5 x 1,6

Long battery life

- 6 hours

Communication

- Bluetooth
- Wireless LAN
- HSPA/UMTS 3G

Memory

- 32 GB mSATA SSD
- SD card slot (SDHC)

Additional features

- Windows 7 and 8 compatible (Windows not included in scope of supply)
- Free Android system image
- Super-fine resolution 1024x600 (WSVGA)
- Smoothly HD 720p movie playback possible
- Integrated Webcam and microphone
- Gyro-sensor

CPU	Intel Atom 1.2Ghz (Z650, Oak Trail) 512KB L2 Cache
Chipset	Intel SM35 Express
Audio	Realtek ALC269Q-VB6 Integrated speaker
Storage	32GB mSATA SSD (Integrated)
Memory	2GB DDR-II 800 (Integrated)
Display	7" TFT LCD Multi-Touchscreen (2 finger Capacitive) Anti-Glare 1024x600 Native resolution (WSVGA)
Camera	0.3M pixel (Front), 2M pixel (Rear)
WLAN+Bluetooth	Realtek RTL8188CUS+BC8 802.11b/g/n Bluetooth 4.0 (Motorola Stack)
G-Sensor	ST LIS33DETR (Integrated)
TPM-Module	Integrated
OSD	Volume (+/-) External VGA/HDMI switch Brightness (+/-) Wireless Selection Rotation Center Tablet Input
Function Key	Home-Button Power-Button Audio-Button

WWAN	HSPA/UMTS 3G (integriert)
	850/900/1900/2100Mhz
	OPTION GTM661W
	HSUPA: 5,76Mbps (UL) / HSDPA: 7,2Mbps (DL)
I/O Ports	1x DC-In
	1x USB 2.0
	1x 2.55mm Earphone
	1x mini HDMI (1.3a type)
	1x Micro SD-slot
	1x SIM card slot
IP-protection class	IP41
Battery	2 cell, 7.4V / 2800mAH
	180min battery charge time
Size	207.1 (W) x 135 (H) x 16.8 (T) mm
Weight	526g
Accessoiries(in Scope of supply)	AC/DC Power-Adapter (12V, 24W)